

## LEED® v4- Compliance Letter

### Product: ABPURE® (Tile, Sheet, Stair Treads)

LEED® – Building Design and Construction (BD+C)

LEED® – Interior Design and Construction (ID+C)

(New Construction, Commercial Interiors, Core and Shell, Schools, Retail, Data Centers, Warehouses and Distribution Centers, Hospitality, Healthcare)

#### Materials and Resources (MR)

##### MR Credit: Building Product Disclosure and Optimization

###### *Environmental Product Declaration*

Option 1. Environmental Product Declaration (EPD): Not Available

###### *Sourcing of Raw Materials*

Option 2. Leadership Extraction Practices  
Recycled content: 10% pre-consumer

###### *Material Ingredients*

Option 1. Material Ingredient Reporting  
Declare: AMB-0001, Declaration Status: LBC Red List Free  
Option 2. Material Ingredient Optimization  
REACH Optimization; Candidate List Free

#### Indoor Environmental Quality (EQ)

##### EQ Credit: Low-Emitting Materials

Option 1. Product Category Calculations or Option 2. Budget Calculation Method

###### **Flooring:**

*General Emissions Evaluation:*

**Product certification: FloorScore® #SCS-FS-01492**

###### **Adhesives (AD-777 or AD-535 or NC-888):**

*General Emissions Evaluation:*

**Certification: Green Label Plus® #GLP05980 (AD-777) and #GLP05980 (AD-535),  
FloorScore® #SCS-FS-04503 (NC-888)**

Conforms with CDPH Standard Method v1.1-2010

Measured Concentration of Total Volatile Organic Compounds (TVOC):

AD-777 and AD-535: 0.5 mg/m<sup>3</sup> or less. Exposure scenario: private office

NC-888: Between 0.5–5.0 mg/m<sup>3</sup>. Exposure scenario: school classroom, private office, single-family residence

*VOC content requirements for wet applied products:*

Conforms with SCAQMD rule #1168 (VOC Content)

Methylene Chloride and Perchloroethylene are not intentionally added in the specified adhesive.

Please note that technical web site documents prevail.

Victor Caldas

Vice President - R&D/Quality Assurance

