



MATERIAL SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF PRODUCT

TRADE NAME:	Electrotile Conductive Electrotile Static Dissipative "ESD" Solid Texas Granite
PRODUCT NUMBER:	GP-403923 N ITEM: SDT-30-A11, CVT-30-A11, VTG-30-C11 (ref.) TP-603512 BR TMP-601531 AV TP-603530 Q
WHMIS CLASS:	NOT CONTROLLED
DESCRIPTION:	POLYVINYL CHLORIDE
PRODUCT USE:	FLOOR TILES
TRANSPORT:	NOT REGULATED
HMIS CODE:	HEALTH () FIRE () REACTIVITY () SPECIFIC () 0: Minor 1: Light 2: Moderate 3: High 4: Dangerous
SUPPLIER:	Estrie Products International 200 Bank Street Sherbrooke, Quebec, Canada J1H 4K3 EMERGENCY PHONE NUMBER: 819-829-3300

SECTION 2: HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	# CAS	%	T.L.V.	LD50
CRYSTALLINE SILICA QUARTZ	14808-60-7	0.5 - 1.5	0.05 mg/m ³	7,950 mg/kg
CARBON BLACK (in some colours)	1333-86-4	0.1 - 1.0	3.5 mg/m ³	> 8,000 mg/kg (oral-rat)
CHLORINATED PARAFFINS	63449-39-8	1 - 5	N/D	N/D
CRISTOBALITE	14464-46-1	0.1 - 1.0	0.05 mg/m ³	N/D
TITANIUM DIOXIDE	13463-67-7	1 - 5	10 mg/m ³	>10,000 mg/kg (oral-rat)

SECTION 3: PHYSICAL PROPERTIES

APPEARANCE AND ODOUR:	Solid material with different colours, vinyl odour.
BOILING POINT (°C):	N/A
SPECIFIC GRAVITY (H₂O=1):	Approx. 1.7
VAPOR DENSITY (Air=1):	N/A
MELTING POINT (°C):	N/D
EVAPORATION RATE:	N/A
SOLUBILITY IN WATER (%):	Insoluble
VOLATILE MATTER (% Vol.):	N/D
VAPOR PRESSURE (mm of Hg):	N/A
pH:	N/A
TVOC (standard office space) µgm⁻³	53

SECTION 4: FIRE AND EXPLOSION HAZARD DATA

FLAMMABLE:	YES ()	NO (x)
IF YES, IN WHICH CONDITIONS:		
FLASH POINT (°C):	391 (PVC)	
METHOD:	N/D	
AUTO-IGNITION TEMPERATURE (°C):	454 (PVC)	
FLAMMABLE LIMITS (% VOL. IN AIR):		
LOWER LIMIT: N/D	UPPER LIMIT:	N/D
EXTINGUISHING MEDIA:		
WATER SPRAY (x)	WATER FOG ()	CARBON DIOXIDE ()
FOAM (x)	DRY CHEMICAL (x)	
OTHERS ()		
SPECIAL FIRE FIGHTING PROCEDURES:		
Wear positive pressure self-contained breathing apparatus. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases.		
UNUSUAL FIRE AND EXPLOSION HAZARDS:		
When forced to burn, about 97 % of the combustion gases from vinyl resin will be a combination of HCL, CO, CO ₂ they must be considered as toxic.		

SECTION 5: REACTIVITY DATA

STABILITY:	UNSTABLE ()	STABLE (x)
CONDITIONS TO AVOID:	None known	
HAZARDOUS POLYMERIZATION:	MAY OCCUR ()	WILL NOT OCCUR (x)
CONDITIONS TO AVOID:	None	
INCOMPATIBILITY (materials to avoid):	None known	
WATER ()	BASE ()	OXIDIZING AGENTS ()
ACID ()	CORROSIVE ()	
OTHERS ()		
HAZARDOUS DECOMPOSITION PRODUCTS:		
When exposed to flame, HCL, CO and CO ₂ will be emitted.		

SECTION 6: PREVENTIVE MEASURES

VENTILATION:	N/A
RESPIRATORY PROTECTION:	Not required.
EYE PROTECTION:	Safety glasses against dust.
HAND PROTECTION:	Gloves.
OTHER PROTECTIVE EQUIPMENT:	Not required
HANDLING:	Practice good personal hygiene.
STORAGE:	Store in a dry and cool area.

SECTION 7: SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:	Reuse material or dispose.
WASTE DISPOSAL METHOD:	Follow local, provincial and federal regulations. Recycle if possible.
OTHER INFORMATION:	

SECTION 8: HEALTH HAZARD DATA

ABSORPTION ROUTE:	SKIN (x)	EYES (x)
	INHALATION (x)	INGESTION ()
EFFECTS OF OVEREXPOSURE:	No adverse health effects are expected. The ingredients listed in section 2 are incorporated into the product and will not be released. They are provided for information.	
SKIN:	Contact not expected to be harmful.	
EYES:	Not expected to be harmful.	
INHALATION:	Not expected to be harmful.	
INGESTION:	N/A	

SECTION 9: FIRST AID PROCEDURES

SKIN:	Wash with soap and water.
EYES:	Flush with water and remove the dirt particles.
INHALATION:	Move the person to fresh air, give artificial respiration if necessary.
INGESTION:	Call a physician.

SECTION 10: PREPARATION INFORMATION

PREPARED BY:	Michel Leblanc
REVISION DATE:	January 13, 2011
REPLACING OLD VERSION FORM:	February 18, 2008 (March 16, 2010)
REASON:	Sections 1 and 10

ESTRIE PRODUCTS INTERNATIONAL has compiled the information and recommendations contained in this Material Safety Data Sheet from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No warranty, guaranty or representation is made as to the correctness or sufficiency of the information. The user of this product must decide for himself what safety measures are necessary to safely use this product, either alone or in combination with other products.

N/A: Not applicable	N/D: Not determined
N/E: Not established	