

## LEED®v4- Compliance Letter

### Product: ABDEFENDER® (Tile, Stair Treads)

**LEED® – Building Design and Construction (BD+C)**

**LEED® – Interior Design and Construction (ID+C)**

(New Construction, Commercial Interiors, Core and Shell, Schools, Retail, Data Centers, Warehouses and Distribution Centers, Hospitality, Healthcare)

#### Materials and Resources (MR)

##### MR Credit: Building Product Disclosure and Optimization

###### **Sourcing of Raw Materials**

Option 2. Leadership Extraction Practices  
Recycled content: None

###### **Material Ingredients**

Option 1. Material Ingredient Reporting  
Declare. AMB-0004, Declaration Status: LBC Red List Free  
Option 2. Material Ingredient Optimization  
REACH Optimization; Candidate List Free

#### Indoor Environmental Quality (EQ)

##### EQ Credit: Low-Emitting Materials

Option 1. Product Category Calculations or Option 2. Budget Calculation Method

###### **Flooring:**

*General Emissions Evaluation:*

**Product certification: FloorScore® #SCS-FS-01492**

###### **Adhesives (AD-777, AD-590, NC-888):**

*General Emissions Evaluation:*

**Certification: Green Label Plus® #GLP05980 (AD-777)**

**FloorScore® #SCS-FS-04503 (NC-888 and AD-590)**

Conforms with CDPH Standard Method v1.1-2010.

Measured Concentration of Total Volatile Organic Compounds (TVOC):

AD-777, AD-590 and NC-888: Less than/equal to 0.5 mg/m<sup>3</sup>.

Exposure scenario: school classroom and private office.

*VOC content requirements for wet applied products:*

Conforms with SCAQMD rule #1168 (VOC Content).

Methylene Chloride and Perchloroethylene are not intentionally added in the specified adhesive.

Please note that technical web site documents prevail.

Victor Caldas

Vice President of R&D/Q.A.

